

LIGHT THE SKY FIREWORKS



LANDSCAPE ARROW FUN FOLD CARDS

CUTS

- Basic Black Cardbase: 8-1/2" x 5-1/2" score in half at 4-1/4"
- Holographic Trio Paper: (2) 5-1/4" x 4
- Designer Paper (Front): 5" x 3-3/4"
- Basic White (Inside): 5" x 3-3/4"

INSTRUCTIONS

- Stamp the words on the inside panel and heat emboss in silver.
- Score the card base per the template (see video for help).
 - Mark the top of the card short side at 2-3/4" and score from the 4-1/4" on either side.
 - Mark on the long side at 2-1/8' and score from the 4-1/4" on both sides.
- Create the triangle layers:
 - Mark Holographic layer on one end of the 5-1/4" x 4" panels at 2-5/8"
 - Mark DSP on one end of the 5" x 3-3/4" at 2-1/2"
 - Using the Paper Trimmer cut from the mark to the opposite corners on both sides.
- Using the Stampin' Cut & Emboss Machine cut:
 - $\circ \;\;$ 3 firework die cuts from the Holographic paper.
 - Firework die cut outs on the white inside panel.
- Assemble the card with Seal, Seal + and Stampin' Dimensionals.
- Attach Rhinestones.



Light the Sky Arrow Fold Supplies

Tami White tami@stampwithtami.com www.stampwithtami.com



Light The Sky Bundle (English) -162296



Light The Sky Photopolymer Stamp Set (English) - 162289



Light The Sky Dies - 162295



Holographic Trio 12" X 12" (30.5 X 30.5 Cm) Specialty Paper - 161744



Stargazing 12" X 12" (30.5 X 30.5 Cm) Designer Series Paper -161175



Basic Black 8-1/2" X 11" Cardstock -121045



Basic White 8-1/2" X 11" Cardstock -159276



Rhinestone Basic Jewels - 144220



Versamark Pad -102283



Metallics Embossing Powders - 155555



Heat Tool - 129053



Embossing Additions Tool Kit -159971



Wanted To Say Dies - 161594



Paper Trimmer - 152392



Stampin' Cut & Emboss Machine -149653




Stampin' Seal -152813











Fold Instructions:

- Score the card base per the template (see video for help).
- Mark the top of the card short side at 2-3/4" and score from the 4-1/4" on either side.
- Mark on the long side at 2-1/8' and score from the 4-1/4" on both sides.

Create the triangle layers:

- Mark Holographic layer on one end of the 5-1/4" x 4" panels at 2-5/8"
- Mark DSP on one end of the 5" x 3-3/4" at 2-1/2"
- Using the Paper Trimmer cut from the mark to the opposite corners on both sides.

SCAN FOR VIDEO

