HERE'S TO LOVE DOUBLE POCKET TAG CARD

amp with Igmis.com



CUTS

- Basic Black Paper Card Base: 11" x 8-1/2"
 - Scored in half on both the short and long side.
 - Fold per the template.
- Basic White for Tag #1: 5-1/2" x 2"
- Basic White for Tag #2: 5" x 2"
- Card base for back: 5-1/2" x 8-1/2" scored in half
- Basic White Inside: 5-1/4" x 4"
- White Textured: 4-1/4" x 4-1/4 cut diagonal for front.
- White Textured: 5" x 4-1/4"
- Silver glimmer or foil strip for middle: 1-1/5" x 5" and cut down.

INSTRUCTIONS

- Stamp the words, bride and groom in Versamark on White Scrap. Heat emboss in Silver.
- Cut the bridge and groom with Paper Snips, then attach to the top of the tags with Seal Adhesive.
- Cut the tag and foliage frame.
- Assemble the card base pieces.
- Wrap the silver trim around the card base and attach the die cuts on top.
- Attach Sparkle Gems.









Images © Stampin' Up! 1990 - Current

Here's to Love Double Pocket **Supplies**

Tami White tami@stampwithtami.com www.stampwithtami.com



Here's To Love Cling Stamp Set (English) - 161737



Versamark Pad -102283



Metallics Embossing Powders - 155555



Heat Tool - 129053



Textured 12" X 12" (30.5 X 30.5 Cm) Shimmer Paper -160838



Basic White 8-1/2" X 11" Cardstock -159276



Basic Black 8-1/2" X 11" Cardstock -121045

Scissors -

103579



Wild Ferns Dies -162654



Simply Elegant Trim - 155766



Adhesive-Backed Sparkle Gems -161288



Take Your Pick -144107



Take Your Pick Crafter Tips -161602



Paper Trimmer -152392



Stampin' Cut & Emboss Machine -149653



Stampin' Seal -152813



Stampin' Dimensional s - 104430










stampwithtami.com







11" x 8-1/2" CARD BASE

- Score on the short side at 4-1/4" and the long side at 5-1/2".
- Cut on the left side score line to the center.
- From the upper left corner, mark in 3" and mark down 3". Score to connect the 2 marks.
- On the lower right corner fold in so the edge meets the score line. **D**
- Fold A over B.
- Fold **D** panel up over **A** & **B**.
- Wrap **c** around to the back.

